



SWEEP VAC  
AUSTRALIA



 **STOCK**  
SWEEPERS





## **1998 - From Humble Beginnings**

Stock Sweepers was founded in 1998. Our family business was created to recondition and remount used road sweeping equipment onto new chassis, specifically for our own operated hire fleet. Word about our work spread fast, and quickly the business grew into the UK's premier company for remounting truck mounted sweepers.

## **2009 - Into a New Era**

10 long years of dismantling and rebuilding worn sweeping equipment taught us many things about road sweepers. We learnt that there were common weaknesses found on many of the existing machines available on the market. We believed that one day we could overcome these weaknesses, and that we could build a better, longer-lasting machine with a much greater life span than the existing manufacturers.

In 2009, we launched two new robust sweepers: the S6400 and S8400. Utilising the latest British road sweeping technologies available to us, and remaining focused on maximum life span, we used top quality components to make sure our machines were designed to last up to 20 years with regular care and sensible maintenance.

## **Today**

Our sweepers are now available in many different countries in North America, Asia, Australia, and Europe. We remain true to our vision, which is building quality machines that have the longest working life achievable and minimum down time for our customers. Our mission will never be to sell the most number of sweepers; it's to build the best sweeper possible.



## **Our Road Sweepers Are Work Tools**

Having operated our own fleet of road sweepers for years, we truly understand how important it is to have reliable machines. Maximum utilisation is at the heart of a Stock Sweeper; we make sure the operator can get the maximum work time possible from any of our machines. Robust, modern engineering ensures our customers are road sweeping for the maximum time possible.

## **Ease of Operation - Intelligent Sweep System (iSS)**

We employ the simplest and most reliable operator-friendly controls to operate our machines. Technology is a fast-moving business, and we only utilise robust, well-tested systems to manage our sweepers.

## **CANbus Operating Control System - 5 Year Warranty**

Our operating software is the heart of our machines. We are so confident in its ability, it comes with a five year warranty.

## **S6400 and S8400 Sweepers - 12 Month Warranty**

All of our machines come with a comprehensive twelve month warranty. A copy of our terms and conditions is available on request.

## **Made in England**

Our machines are designed and manufactured in England. We are proud to be a British-owned manufacturing company.

# S6400 OVERVIEW



## What You Need to Know

Truck Chassis: 15-18 tonnes GVW

Hopper: 6.5m<sup>3</sup> with Twin-Discharge System (Electric and PTO Operation)

Sweep Format: · Dual Side Sweep (Left and Right) with Wide Sweep 'Belly' Brush and Dual-Suction Nozzles. *\*Dual-Sweep Recommended*

· Single Side Sweep (Left or Right) Also Available.

· Overhead Wander Hose 4.2m Reach Available, 150mm and 200mm, Manual or Hydraulically-operated. *\*150mm Recommended*

Sweep Path: Max 3,650mm.

Sweep Speed: 2 to 16kph.

CANbus Intelligent Sweep System: Operator-friendly electronic controls.

JCB Auxiliary Engine: A choice of 68kW or 93kW engines.

Auxiliary Fuel Tank: 160 Litres.

Clean Water Tank: 1600 Litres.

Low Pressure Dust Suppression Water System: 35 litres/min at 3.5 bar (50 PSI).

High Pressure Wash Water System: 30 litres/min at 150 bar (2200 PSI).

Service intervals: 500 hours.

## Built to Last

The S6400 has been designed to last as long as possible. The mild and stainless steel components that we use are thicker than the road sweeper industry standard, to ensure the longest life span achievable. All equipment is precision fabricated, then powder-primed and coated, to give an extremely durable and high quality finish.



### **6.5m<sup>3</sup> Capacity**

Standard twin-discharge system comes with every Stock Sweeper. Should the auxiliary engine PTO (power take-off) fail, our equipment has its own independent electrical discharge system for additional use, if needed.

### **Body, Cowl and Rear Door - Stainless Steel**

The body, cowl, and rear door are fully built with corrosion and abrasion-resistant stainless steel.

### **1600L of Clean Water**

1600L as standard, with optional 250L - 4000L additional water tanks available. \*Chassis dependant

### **Double-Strength Subframe and Tipping Hinges**

We know our sweepers have to be robust, and critical to the stability of the vehicle is its subframe and tipping hinges. Twice the typical steel is used, to ensure maximum stability on uneven ground.

# S6400 AUXILIARY ENGINE




## JCB 68kW

Maximum Rating (Gross Intermittent)	68kW (91hp)
At Speed	2200 rpm
Peak Torque	433 Nm (319 lb-ft)
Peak Torque Speed	1500 rpm
Maximum No Load Governed Speed	2450 rpm
Nominal Idling Speed	850 rpm
Thermodynamic Cycle	Diesel 4 Stroke
Air Intake	TCA
Arrangement	4.4L
Nominal Bore	103mm (4.06")
Stroke	132mm (5.20")

## JCB 93kW

Maximum Rating (Gross Intermittent)	93kW (125hp)
At Speed	2200 rpm
Peak Torque	525 Nm (387 lb-ft)
Peak Torque Speed	1300 rpm
Maximum No Load Governed Speed	2390 rpm
Nominal Idling Speed	800 rpm
Thermodynamic Cycle	Diesel 4 Stroke
Air Intake	TCA
Arrangement	4.4L
Nominal Bore	103mm (4.06")
Stroke	132mm (5.20")

# S6400 SWEEP PATH




## Side Brush

The side brush equipment is of a heavy-duty construction, and has brush speed control with 'power-down' ground pressure regulation fitted as standard. The 'power-down' feature enables the operator to scrub the road harder, to remove run-in and compacted dirt. The side brushes have fully adjustable sideways positioning and variable side brush rotation to ensure you sweep efficiently, even in awkward situations. The S6400 has an impressive overall sweep width of 3650mm and allows the S6400 to clean many roads in a single pass. At the push of a button, the curb-top sweep function can be utilised in tight or difficult situations.

## Wide Sweep Brush

The 400mm-diameter by 1300mm-long wide sweep brush has a fully adjustable ground pressure regulation system. The system is set on four regulators (two for left-hand sweeping and two for right-hand sweeping). This enables the operator to switch from left to right-hand sweeping operations without the need to leave the cab of the vehicle and readjust the brush. Fitted with 'power-down' the wide sweep brushes performs efficiently on run-in and stubborn compacted dirt. The wide sweep brush canopy and guards are robustly constructed from 4mm powder-primed and powder-coated mild steel, ensuring maximum life expectancy.

Unique to our sweepers is our one-touch left-to-right sweep control system.



## **Dust Suppression System**

The self-priming, low-pressure water dust suppression pump ensures dust-free collection of all swept material. Water can be injected directly into the suction box, towards the side brush, and across the front of the vehicle. The dust suppression system delivers 35 litres/min at 3.5 bar (50 psi).

## **High Pressure Wash**

For more arduous cleaning the high pressure water system incorporates a hand lance with 15 metres of hose, suction box spray bars, and wide sweep brush spray bar all delivering water at up to 30 litres/min at 150 bar (2,200 psi) precisely where it's needed.

# S6400 SUCTION



## Nozzle Suction

The suction boxes are constructed of cast aluminium with a 4mm moulded vulcanized wear-resistant rubber lining. Each of the two boxes can be raised or lowered, and be tilted backwards at the flick of a switch, to make the pick-up of larger material effortless.

## Overhead Suction

The overhead wander hose has a 4.2 metre reach that can be used for many operations; from cleaning catch-pits and road gullies, to picking litter and leaf collection. To ensure the wander hose does not become too heavy in operation, it is fitted with a counter-balancing spring system. The overhead wanderhose can also be hydraulically operated.

## Screen Shakers 'Healthy Airflow'

Rear mesh screen shakers are another standard fitment. They enable the operator to clean the rear screens every time the rear door is opened, both screens are lowered automatically making thorough washing of the screens an easy task. This is essential to maximise the sweepers suction and will minimise unnecessary engine and equipment wear. The screens can also be operated with the rear door closed using the 'quick clean' function. This is done by unclipping the handle and pulling down sharply on the rear cables, to shake the screens free from dirt and leaf build-up.

# S6400 CONTROLS



## **CANbus Operating System**

The S6400's equipment is activated via an operator's electronic CANbus control panel, which has been designed and installed with operator ergonomics in mind. The easy-to-use panel allows the operator to set their preferred settings, which are then activated by one-touch operation on the iSweep system, mounted near the driver's door.

## **iSweep**

The touch sensitive control panel is conveniently mounted near the operator's side window, helping to reduce the level of distraction to the operator to an absolute minimum. Full control simply rests at the operators finger tips.

## **Performance and Diagnostics**

Our CANbus system monitors sweeping and auxiliary engine performance. It has full diagnostics to aid operators and technicians, perform routine checks, maintenance, and repairs.

# 'TEMPEST' LEAF BLOWER



## **Leaf Blowing System**

Our patented leaf blowing system is the most effective method of removing leaves in rural/semi-rural conditions. It blows leaves off roads and footpaths into verges in one pass, by cleverly using the sweeper vacuum exhaust air, blowing it out from under the front of the chassis cab. Full electric control allows you to adjust the air jet angle to right where you need it. It reduces non-productive off-site time and has considerable fuel and environmental savings by eliminating needless journeys to landfill sites.

## **Leaf Blowing System - Wander Hose**

The hand blowing wander hose attachment reaches into corners and difficult areas where leaves cannot be blown away. The handheld blower attachment enables the operator to blow them into the road, where they can be swept up conventionally by the sweeper.

[www.sweepvac.com.au](http://www.sweepvac.com.au)  
[info@sweepvac.com.au](mailto:info@sweepvac.com.au)

t: +61 (0) 408 891 591



SweepVac Australia Pty Ltd  
PO Box 431  
Morley, WA 6953  
AUSTRALIA